

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended) A method for determining the level of ~~an analyte~~ glucose in the blood of an individual comprising:

- (i) obtaining a sample of hair or urine from said individual, said sample being a non-blood sample but containing blood components;
- (ii) determining the volume of blood in the obtained sample by measuring the level of a blood component in said samples;
- (iii) determining the amount of ~~said analyte~~ glucose in the sample or in the blood cells present in said non-blood sample; and
- (iv) calculating the level of ~~said analyte~~ glucose in the blood of the tested individual based on the measurements in (iii) and (iv).

Claim 2 (original) The method of Claim 1,

Appl. No. 09/763,415
Amdt. Dated July 21, 2003
Reply of Office action of March 20, 2003

wherein said blood component is hemoglobin.

Claim 3 (canceled)

Claim 4 (currently amended) A method according to Claim 1, wherein said non-blood sample is a sample of hair obtained from said individual, the method comprising:

- (i) obtaining a sample of hair from said individual;
- (ii) determining the amount of blood or interstitial fluid in said obtained sample and if necessary, correcting variations between different hair samples;
- (iii) determining the level or concentration of ~~said analyte glucose~~ in said blood or interstitial fluid and
- (iv) calculating the level of ~~said analyte glucose~~ in the blood of the tested individual based on the measurements in (ii) and (iii).

Claim 5 (original) A method according to claim

Appl. No. 09/763,415
Amdt. Dated July 21, 2003
Reply of Office action of March 20, 2003

4 wherein before stage (ii) said blood or interstitial fluid are first extracted from the hair follicle of said obtained hair.

Claim 6 (currently amended) A kit for determining the level of ~~an analyte glucose~~ in the blood of a tested individual comprising:

- (i) means for obtaining a sample of hair or urine from said individual, said sample being a non-blood sample but containing blood components;
- (ii) means for measuring the level of a blood component in the sample;
- (iii) means for measuring the level of ~~the tested analyte glucose~~ in the obtained sample;
- (iv) means for calculating the level of ~~the tested analyte glucose~~ in the blood of the tested individual on the bases of the measurements obtained in (ii) and (iii) above.

Claim 7 (original) A kit according to Claim 6, further comprising means for separating said red blood cells from the sample.

Claim 8 (previously presented) A kit according to Claim 6, further comprising means for lysing said red blood cells.

Claim 9 (currently amended) A kit according to claim 6, further comprising a test strip incorporating reagents or structures necessary to carry out the measurement of the ~~tested analyte~~ glucose and blood component and a instrument into which the test strip can be inserted into or to which the test strip may be connected; said instrument being an instrument that detects and analyzes and optionally ~~translating~~ translates said signals into ~~prevalent~~ relevant units.

Claim 10 (currently amended) A kit according to Claim 6, wherein the obtained body sample is a hair sample, said kit comprising the following:

- (i) hair removal means;
- (ii) a suitable diluent in which the blood or interstitial fluid from the obtained hair is collected;
- (iii) means for the determination of the level of a blood component in the blood or interstitial fluid specimen;

(iv) means for determination of the level of
~~said analyte glucose~~ in the blood or
interstitial fluid specimen; and

(v) means for calculating the level of ~~the~~
~~tested analyte glucose~~ in the blood of
the tested individual on the basis of
the measurements obtained in (iii) and
(iv) above.

Claim 11 (canceled)

Claim 12 (original) A kit according to Claim
11_6, further comprising a metabolic inhibitor capable of
preventing glucose utilization by living cells present in
said sample.